Gigaset SL850H PRO

Slim design with high performance and functionality for everyday business use!

Highlights:

- Large illuminated 2.4" TFT color display
- Headset operation via Bluetooth® 5.1 or 3.5mm jack
- AAA batteries meeting requirements of EU Ecodesign Directive
- o Timeless, elegant design
- Configurable function button at the top of the device
- Autoprovisioning for efficient configuration
- Alarm, Messaging and Location (AML) support
- SUOTA Software update over the air interface
- Scratch and disinfectant resistant
- o Data exchange via Bluetooth® or USB-C
- Up to 12h talk time and up to 320h standby time



The SL850H PRO is the smallest and lightest DECT handset in the Gigaset Professional portfolio. Despite its small dimensions, it has a large 2.4-inch color display, the latest technology and offers a timeless, elegant design that makes it an eye-catcher in any workplace. Equipped with many high-end functions, the SL850H PRO meets the highest user demands. The outstanding battery life, with up to 12 hours talk time, the integrated vibration alarm and the high-quality scratch and disinfectant-resistant surface make the SL850H PRO the perfect business phone. Software features include efficient configuration via Autoprovisioning, SUOTA and Alarm, Messaging and Location (AML) support. It comes with AAA batteries and is therefore ideally equipped to meet the requirements of the EU Ecodesign Directive.

Micro sized - without compromise!

The new Gigaset SL850H PRO handset impresses with its slim design, large 2.4" TFT display and a host of business functions such as software update over the air, Bluetooth® 5.1, audio profiles and brilliant sound quality HDSP ready $^{\text{M}}$. The professional range of functions is rounded off by the vibration alarm, the USB-C interface and the excellent battery life.

Elegant and compact design

The elegant yet slim design makes the Gigaset SL850H PRO an eye-catcher in every office environment. It fits very well in the hand and is therefore perfectly suitable for comfortable everyday use.

The handset is compact in size and can be easily fitted on your desk or be carried around at your workplace.

Future proof

The SL850H PRO uses AAA batteries instead of Lithium Ion batteries. This means the product is compliant with the regulations of the EU Ecodesign directive that becomes effective in June 2025.

Resistant to disinfectants and scratches

The high quality surface includes the housing, keyboard and display. In addition, the surface of the handset is protected against scratches in everyday use by a harder surface coating. This also protects the handset against the effects of commercially available disinfectants. Especially suitable for cleaning against bacteria and virucides. You can find an overview of the tested disinfectants on the Gigaset Professional Wiki.



Technical specifications

Audio		 HD Audio supporting HDSP™/CAT-IQ 2.1
	Quality	Hands free talking with excellent audio quality
		32 selectable ringer melodies with 5 volume levels and crescendo
	Acoustic profiles	Selectable audio profiles (personal, silent and loud)
	Other features	32 selectable ringer melodies with 5 volume levels and crescendo
	Oine (in ah)	• 2.4"
Display	Size (inch) Resolution	
		320 x 240 pixel
	Туре	 Illuminated, graphical TFT QVGA color display Intuitive, modern user interface with icons, display keys,
	User interface	Intuitive, modern user interface with icons, display keys, five way navikey, function keys
	Other features	Up to 8 lines and 65.000 colors
		· · · · · · · · · · · · · · · · · · ·
		5-way navikey
		Two display keys
		Function-/PTT-key on top
		Illuminated and scratch resistant
	Keys	Message waiting key with blinking LED
Keypad		Keylock (#-key) with PIN protection to prevent from
		unauthorized use
		Emergency number can be dialed even if PIN protection is active
		Mute
		Remote mass configuration by administrator to prepare
	Autoprovisioning	handsets efficiently for usage:
		 Settings (e.g. display keys, alarm key, emergency
Network	(Depending on base	numbers)
specifications	station and/or PBX,	Menus, e.g. settings - hide to protect against accidental
	provider)	changes
		o Phonebook upload
		Ringtones upload, assignment and volumePictures upload (RFC3261)
		Bluetooth 5.1:
	Bluetooth connection	 Bluetooth® headset (handsfree and headset profile)
	Bidetootii ooiiileotioii	 Data exchange and firmware update with Gigaset
		QuickSync
Connectivity	Headset connection	Headset via Bluetooth or 3,5-mm jack
	USB-C connection	Charging function
		Charging cradle included free of charge
		Data exchange and firmware update with Gigaset QuickSync
	<u> </u>	vCard entries: first and last name, three numbers, email,
		date reminder, VIP melodies and picture caller ID
	Contacts	XML browser
		PBX-directory access with search (LDAP and XML) (Depending on
Phonebook		base station and/or PBX, provider)
		Public online directory search with auto lookup (Depending on base)
		station and/or PBX, provider)
	Address book	
	Address Dook	 Address book with up to 500 entries



	Smartphones directory access	 With smartphone paired by Bluetooth user can get access to Android or iOS mobile device contact list Downloading contacts from Bluetooth device to handset
Telephony	Receiving calls	 Caller indication displayed via CLIP, picture CLIP and CNIP Individual ringer melodies for VIP entries and internal callers Anonymous call silencing Vibrating alert Do not disturb (Depending on base station and/or PBX, provider)
	Missed calls	 Signaled via display and illuminated message waiting indicator List showing up to 20 missed calls with caller indication Local missed call list behind 3rd party single and multicell systems with GAP Direct dialing of the missed call
	Hotel option	 Data such as call lists can be deleted on a time-controlled basis Blocking soft key programming Voicemail function can be activated/deactivated The Bluetooth menu is deactivated A reduced calendar function - no entries possible Reset codes for the: Restoring the default menu language Restoring the default screen saver Restricted use of the USB-C port: Data exchange Gigaset QuickSync software cannot be used The disaster recovery system can still be used Charging via USB is still possible
Dial functions	Functions	 3 separate calls lists (missed/incoming/outgoing) with 20 entries each with CLIP/CNIP and time/date Redialing of last 20 numbers entered Short dial keys (soft keys, 9 numeric keys) Function key, configurable as: Quickdial key Alarm key Push to talk key (available later via software update) Mute, key lock and flash key Automatic redial function
Range	DECT range	Indoor: Up to 50 metersOutdoor: Up to 300 meters
Compatibility	Gigaset products	 Full compatibility with the professional Gigaset DECT single and multi-cell systems N530 IP PRO, N610 IP PRO, N670 IP PRO, N770 IP PRO, N870 IP PRO, N870E IP PRO Can also be used on CAT-iq & GAP-compatible base stations in
	Third party products	single and multi-cell environments from third-party suppliers
Functions	Alarm, Messaging and Location (AML)	 Acoustic and visual message signaling according to priority Message category icon set: 21 icons in 5 colours Storage of missed alarm messages Message key with led Location data transfer to alarm server



		Bluetooth beacon scan
		Bluetooth beacon mode (BLE)
	Calendar	Organizer with calendar and reminder functions
	Provisioning	 Remote configuration that allows to hide or configure some functions
		 Uploading pictures and sounds from the provisioning server
		 Update of various lists with predefined entries
		Email-Reader (depending on base station)
		 Info services (depending on base station)
		 Screensaver (picture, slideshow, clock, info service)
	Other features	Battery charge also in power off state
		 Warning tones when out of the DECT range and vice versa
		 Silent charger mode during parallel ringing with other
		phone registered at the same user
	Reduction of energy	Up to 60% less energy consumption due to energy-saving power
	consumption	supply unit
		ECO mode - Manual reduction of the transmitting power of the
ECO DECT		base
	Reduction of the	station and all registered handsets
	transmitting power	Variable reduction of transmission power depending on the
		distance
		between handset and base station (handset only)
	Talk time	Up to 12 hours
	Standby time	Up to 320 hours
Power supply	Charging compatibility	Charging even when switched off
	Battery	2x AAA
	1	
	Handset & Charger	• Handset: 133 x 52 x 22 mm
Dimensions &		• Charger: 67 x 61 x 29 mm
weights		 Packaging: 224 x 166 x 60 mm Weight of handset including battery: 114g
		Overall weight of the sales packaging (approx.): 347g
Ordering information	Color	Dark Titanium
inionnation		
Facility 1	Operating temperature	• 5°C to 45°C
Environmental	Storage temperature	• -15°C to 60°C
conditions	Relative humidity	20% to 75% (non-condensing)
Accessories	Snap-In	Snap-In for Gigaset Multicharger PRO
	Belt clip	Gigaset professional belt clip
	1x	Handset
	1x	
	2x	Battery coverAAA batteries
Soons of daliver	1x	
Scope of delivery	1x	
	1x	
	1x	Power supply unit User manual
	1/4	• OSCI IIIdiludi



Datasheet Version 25.08.2025

